

# High Accuracy Turbine Flow Meter

HIGHLY ACCURATE AND RELIABLE  
FLOW MEASUREMENT



**Turbines, Inc.** is the leader in the design and manufacture of reliable and accurate turbine flow metering equipment, electronic monitors, and accessories. All products are engineered, manufactured, and calibrated using premium quality materials by skilled tradesman with state-of-the-art equipment.

Turbines, Inc. maintains a team of dedicated engineers, technicians, and application specialists, who are on-call to assist with product/application guidance, technical assistance, and special configurations or modifications.

Specifications	
<b>Performance</b>	
Linearity	+/- 0.5% over standard flow range
Repeatability	+/- 0.1% over standard flow range
Operating Temperature	-450° F to +450° F (850°F with special coil)
Flow Rate	From 1 to 12,000 gpm
<b>Materials</b>	
Meter Body	316 Stainless steel, (consult factory for other options)
Meter Rotor	17-4PH, Nickel 200, Duplex Stainless steel (consult factory for other options)
Bearings	440C Stainless steel and hybrid ceramic ball bearings, hard carbon composite Additional materials available (consult factory for other options)
<b>Additional Information</b>	
Full line of calibrated, Retrofit Kits are available Factory refurbishment is available	
Connections	NPT, flanged, wafer, 37° AN Flare, and BSP (consult factory for additional end connections)
<b>Certifications</b>	
CRN Certified, ISO 9001, NIST traceable calibration	



## Details

1. Magnetic pickup coils included at no extra charge.
2. The HA Series is linear and accurate over its designed operating range; premium accuracy available, consult factory.

The HA Series can be complemented with any of our monitors or interface modules to comprise a comprehensive system.



Flow Meter ID (inches)	1/2"	5/8"	3/4"	1"	1 1/4"	1 1/2"	2"	3"	4"	6"	8"	10"	12"
Flow Range (gpm)	1-10	1.75 -16	2.5-30	4-60	6-93	8-130	15-225	40-650	75-1250	200-2900	330-5200	650-8000	900-12000

## Service

Our dedicated staff offers complete support and recertification for flow meters — whether our own or a competitor’s brand. Our calibration services are performed by our trained technicians using the latest testing equipment.

Turbines, Inc. maintains extensive inventories in multiple locations to facilitate rapid, industry leading deliveries.

## Worldwide Support

We serve customers globally with offices in Altus, OK; Seneca, SC; Odessa, TX; Cranston, RI; and Edmonton, Alberta, Canada.

 All Turbines, Inc. products are proudly made in the U.S.A.



15935 Highway 283 N.  
Altus, Oklahoma 73522, USA  
Tel: +1-580-477-3067  
[www.turbinesincorporated.com](http://www.turbinesincorporated.com)



112 Lumber Ln.  
Seneca, SC 29672 USA  
Tel: +1-864-882-4544  
[www.turbinesincorporated.com](http://www.turbinesincorporated.com)



960 South Meadow Ave.  
Odessa, TX 79761 USA  
Tel: +1-432-333-4800  
[www.turbinesodessa.com](http://www.turbinesodessa.com)



800 Wellington Avenue  
Cranston, RI 02910, USA  
Tel: +1-401-461-6366  
[www.primaryflowsignal.com](http://www.primaryflowsignal.com)



2236 80th Avenue NW,  
Edmonton, AB T6P 1N2  
Tel: 877-661-3569  
[www.pfscanada.ca](http://www.pfscanada.ca)